

University of Wollongong Research Online

University of Wollongong Thesis Collection
1954-2016

University of Wollongong Thesis Collections

2008

Medication alliance: development and implementation of a mental health staff training program for the enhancement of patient medication adherence

Mitchell K. Byrne

UOW, mbyrne@uow.edu.au

Follow this and additional works at: <https://ro.uow.edu.au/theses>

University of Wollongong

Copyright Warning

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site.

You are reminded of the following: This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part of this work may be reproduced by any process, nor may any other exclusive right be exercised, without the permission of the author. Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material.

Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

Unless otherwise indicated, the views expressed in this thesis are those of the author and do not necessarily represent the views of the University of Wollongong.

Recommended Citation

Byrne, Mitchell K., Medication alliance: development and implementation of a mental health staff training program for the enhancement of patient medication adherence, Doctor of Philosophy thesis, School of Psychology, University of Wollongong, 2008. <https://ro.uow.edu.au/theses/2070>

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

NOTE

This online version of the thesis may have different page formatting and pagination from the paper copy held in the University of Wollongong Library.

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

Medication Alliance
***Development and implementation of a mental health
staff training program for the enhancement of patient
medication adherence.***

A thesis submitted in fulfilment of the requirements
for the award of the degree

DOCTOR OF PHILOSOPHY

From the University of Wollongong

by

Mitchell K. Byrne
BA (Hons). M. App. Psych

School of Psychology

2008

CERTIFICATION

I, Mitchell K. Byrne, declare that this thesis, submitted in fulfilment of the requirements of the award of Doctor of Philosophy, in the School of Psychology, University of Wollongong, is wholly my own work unless otherwise referenced or acknowledged. This document has not been submitted for qualifications at any other academic institution.

Mitchell K. Byrne

September 2008

TABLE OF CONTENTS

Thesis Certification	i
Table of Contents	ii
List of Appendices	vii
List of Tables	ix
List of Figures	xi
List of Papers Published from this Thesis.....	xii
Abstract	xiii
Acknowledgements	xvi

CHAPTER ONE

MEDICATION ADHERENCE	1
1.1 Defining Adherence	1
1.2 Medication Adherence in Chronic Illness.....	2
1.3 Adherence in Mental Health Disorders.....	3
1.4 Impact of Nonadherence in Severe Mental Health Disorders	4
1.5 Measuring Adherence	6
1.5.1 Self Report Measures of Adherence	8

CHAPTER TWO

EXPLAINING NONADHERENCE.....	12
2.1 Models of Health Behaviour	12
2.1.1. Health Beliefs Model	13
2.1.2. Theory of Planned Behaviour	15
2.1.3. Self Regulation Model	17
2.1.4. Summary of Key Factors from Social Cognition Models	18
2.2 Reasons for Nonadherence in Severe Mental Health Disorders	19
2.2.1. Treatment Factors	20
2.2.2. Patient Factors.....	22
2.2.2.1. <i>Insight</i>	23

2.2.2.2. <i>Attitude to Medication</i>	24
2.2.2.3. <i>Cognitive Skills</i>	26
2.2.2.4. <i>Motivation</i>	27
2.2.2.5. <i>Social Support</i>	28
2.2.2.6. <i>Implications of Patient Factors</i>	29
2.2.3. <i>Clinician Factors</i>	29
2.2.3.1. <i>Understanding Clinician Behaviour</i>	30
2.2.3.2. <i>Clinician Self-efficacy</i>	31
2.2.3.3. <i>Optimism and Outcome Expectancy</i>	32
2.2.3.4. <i>Clinician-Patient Differences in Beliefs about</i> <i>Medicines</i>	33
2.2.3.5. <i>Relationship Factors</i>	33
2.2.3.5.1. <i>Alliance and Adherence</i>	34
2.2.3.5.2. <i>Alliance and Placebo Effects</i>	35
2.2.3.5.3. <i>Clinician Characteristics and the Alliance</i>	36
2.2.3.6. <i>Focusing on Clinician Factors</i>	37

CHAPTER THREE

STUDY 1: <i>The Association between Clinicians' Beliefs and Knowledge about</i> <i>Medications and their Use of Strategies to Enhance Adherence</i>	39
3.1 Introduction	39
3.2 Methods	40
3.2.1. Participants	40
3.2.2. Measures	41
3.3 Results	42
3.4 Discussion	44
3.5 Limitations and Conclusions	45

CHAPTER FOUR

STUDY 2: <i>Identifying Specific Clinician Beliefs about Non-Adherent Patients</i> <i>and the Association of these Beliefs with Self Reported Behaviours</i> ..	47
4.1 Introduction	47
4.2 Methods	49
4.2.1 Participants	49

4.2.2	Measures	49
4.2.3	Procedure	51
4.3	Results.....	52
4.3.1	Factor Structure of the MABQ	52
4.3.2	Attitudes as Predictors of Adherence Expectations and Effort	54
4.4	Discussion	56
4.5	Limitations and Conclusions.....	58

CHAPTER FIVE

MEDICATION ADHERENCE INTERVENTIONS.....	59
5.1 Introduction.....	59
5.1.1 The Need for Adherence Interventions.....	59
5.1.2 Review Previous Adherence Interventions.....	60
5.2 Psycho-educational Approaches	64
5.3 Behavioural Interventions.....	67
5.4 Cognitive Behavioural Interventions	70
5.4.1 Motivational Interviewing	71
5.4.2 Compliance Therapy	74
5.4.3 Medication Management	77

CHAPTER SIX

MEDICATION ALLIANCE.....	81
6.1 Background to Program Development.....	81
6.2 Philosophical Ethos of Medication Alliance.....	83
6.3 Functional Analysis	83
6.4 Illness Timeline and Stress-Diathesis	84
6.5 Working with Patients' Beliefs.....	85
6.6 Coaching	85
6.7 Summary	85

CHAPTER SEVEN

STUDY 3:	<i>Does Medication Alliance Training Enhance Clinician Skills, Knowledge and Attitudes with Regards to Working with Patients who are Non-Adherent?</i>	87
7.1	Introduction	87
7.2	Method	88
7.2.1	Participants	88
7.2.2	Procedure	88
7.2.3	Measures	89
7.3	Results	92
7.3.1	Knowledge Measures	92
7.3.2	Attitudinal Measures	93
7.3.3	Skills Measure	94
7.4	Discussion	94
7.5	Limitations and Conclusions	96

CHAPTER EIGHT

STUDY 4:	<i>Implementation Trial of Medication Alliance in a Clinical Setting</i>	98
8.1	Introduction	98
8.2	Methods	100
8.2.1	Study Design	100
8.2.2	Power Analysis	101
8.2.3	Participants	102
8.2.4	Measures	107
8.2.5	Procedure	115
8.3	Results	119
8.3.1	Clinician Training Outcomes	120
8.3.1.1	<i>Pre/Post Workshop Training Effects</i>	121
8.3.1.2	<i>Maintenance of Change</i>	122
8.3.2	Patient Outcomes	125
8.3.2.1	<i>Patient Adherence to Treatment</i>	127
8.3.2.2	<i>Patient Mental Health</i>	128
8.3.2.3	<i>Patient Insight</i>	131

8.3.2.4	<i>Therapeutic Alliance</i>	132
8.3.2.5	<i>Testing the Predictive Model</i>	132
8.4	Discussion	134
8.4.1	Limitations	136
8.4.2	Qualitative Feedback	141
8.4.3	Conclusion	143
 CHAPTER NINE		
	OVERALL SUMMARY AND FUTURE DIRECTIONS	144
	 REFERENCES	147
	APPENDICES	180

LIST OF APPENDICES

Appendix 1:	Papers published from the thesis.....	180
Appendix 2:	Study 1	181
	<i>a. Beliefs about Medicines Questionnaire</i> (BMQ – Horne & Weinman, 1999).....	182
	<i>b. Knowledge of Neuroleptic Medications</i> (KNM).....	183
	<i>c. Difficulty Implementing Adherence Strategies</i> (DIAS)	184
Appendix 3:	Study 2	186
	<i>a. The Beliefs Questionnaire</i>	187
	<i>b. Alcohol and Alcohol Problems Perception Questionnaire</i> (AAPPQ: Cartwright, 1980; Cartwright & Gorman, 1993; Gorman & Cartwright, 1991).....	191
	<i>c. Ethics Approval</i>	192
Appendix 4:	Study 3	193
	<i>a. The Medication Alliance Training Manual</i> (4 th Edition)	193
	<i>b. The Medication Alliance Participant Workbook</i> (4 th Edition)....	194
	<i>c. Medication Alliance Core Skills DVD</i>	195
	<i>d. Medication Alliance and Cognitive Therapy Scale for Psychosis</i> (Skills Assessment).....	196
	<i>e. Functional Analytic Case Formulation</i>	214
	<i>f. Medication Alliance Clinician Knowledge Questionnaire</i>	217
	<i>g. Elsom Therapeutic Optimism Scale</i>	220
	<i>h. Ethics Approval</i>	221
Appendix 5:	Core components of the Medication Alliance Training Program.....	222
	<i>a. Guiding Philosophy</i>	223
	<i>b. Functional Analysis</i>	223
	<i>c. Illness Timeline and Stress-Diathesis</i>	225
	<i>d. Working with Patients Beliefs</i>	227
	<i>e. Coaching</i>	227
Appendix 6:	Study 4	229
	<i>a. Area Health Service Study Information</i>	230
	<i>b. Case manager Information Sheet</i>	234
	<i>c. Clinician consent forms</i>	236

<i>d.</i>	Patient selection form	237
<i>e.</i>	Patient participation sheet	238
<i>f.</i>	Patient consent form	241
<i>g.</i>	Ethics Approval	242
Appendix 7:	Study 4 Clinician and patient measures	243
<i>a.</i>	Clinician	
<i>i.</i>	Demographic information	244
<i>ii.</i>	Patient contact details	245
<i>iii.</i>	Working Alliance Inventory – Short Form (Clinician Version)	246
<i>iv.</i>	Medication Alliance Beliefs Questionnaire	247
<i>v.</i>	Beliefs about Medicines Questionnaire – General.....	250
<i>vi.</i>	Elsom Therapeutic Optimism Scale.....	251
<i>vii.</i>	Medication Alliance Clinician Knowledge Questionnaire ...	252
<i>viii.</i>	Functional Analytic Case Formulation	255
<i>b.</i>	Patient	
<i>i.</i>	Demographic information	258
<i>ii.</i>	Prescribing information	259
<i>iii.</i>	Rating of Medication Influences Scale	260
<i>iv.</i>	Drug Attitude Inventory.....	263
<i>v.</i>	Composite Measure of Compliance.....	264
<i>vi.</i>	Brief Psychiatric Rating Scale – Expanded	265
<i>vii.</i>	Health of the Nation Outcome Scale	266
<i>viii.</i>	Global Assessment of Functioning	267
<i>ix.</i>	Insight Scale.....	268
<i>x.</i>	Working Alliance Inventory – Short Form (Client Version)	270

LIST OF TABLES

Table 1:	Examples of Causes of Medication Nonadherence in Chronic Physical Health Conditions	3
Table 2:	Variables Affecting Adherence Derived from Social Cognition Models.....	19
Table 3:	Means and Standard Deviations for Beliefs and Adherence Strategies.....	42
Table 4:	Educational Qualifications, Beliefs and Knowledge.	43
Table 5:	Correlations (p-values) Between Knowledge, Beliefs and Difficulty in Implementing Medication Adherence Interventions.....	44
Table 6:	Factor Loadings for 5 factor solution of the MABQ	53
Table 7:	MABQ reliability estimates and inter-factor correlations.....	54
Table 8:	Correlations and Regression of Attitudes Measures on Ratings of Expectations and Trying to Enhance Adherence for the Total Sample (n = 255)	55
Table 9:	Correlations and Regression of Attitudes Measures on Ratings of Expectations and Trying to Enhance Adherence for Nurses Only (n = 161).....	55
Table 10:	Outline of the Medication Alliance Training Program	82
Table 11:	Pre-post Training Means and Standard Deviations on Knowledge Variables	92
Table 12:	Pre-post Training Means and Standard Deviations on Attitude Variables	93
Table 13:	Pre-post training means and standard deviations on Skill Variables	94
Table 14:	Details of Measures and Delivery Details for Study 4.....	117
Table 15:	Pre-post Training Means and Standard Deviations on Clinician Variables	122
Table 16:	Pre-post Training Means and Standard Deviations on the MABQ Subscales.....	122
Table 17:	Comparison of Post Training Scores between Coached (n = 16) and Non-Coached Participants (n = 30).....	123

Table 18: Training Effects Across Time	124
Table 19: Means and Standard Deviations of Variables that Changed Across Time	124
Table 20: Medians and Interquartile Ranges (IR) of Adherence Ratings Across Time	128
Table 21: Intraclass Correlation Coefficients for BPRS	129
Table 22: Means and Standard Deviations of BPRS and GAF	130
Table 23: Differences in Symptoms Rated on BPRS at Each Data Collection Point	131
Table 24: Differences in Functioning Rated on GAF at Each Data Collection Point	131
Table 25: Differences in Clinician Rated Alliance at Each Data Collection Point	132

LIST OF FIGURES

Figure 1: Theory of Planned Behaviour	15
Figure 2: Study 4 Design	101
Figure 3: Flow Diagram of Study 4 Participation	104
Figure 4: Key Data Collection Points in Study 4	116
Figure 5: Time Spent with the Patient	126
Figure 6: Number of Visits by Clinician with Patient	127
Figure 7: Predictive Model using PLS-GRAPH	134

List of Papers Published from this Thesis:

- Byrne, M.K., Deane, F.P., & Caputi, P. (*in press*). Mental health clinicians' beliefs about medicines, attitudes and expectations of improved medication adherence in patients. *Evaluation and the Health Professions*
- Byrne, M.K., Deane, F.D., & Coombs, T. (2005). Nurse's beliefs and knowledge about medications are associated with their difficulties using patient treatment adherence strategies. *Journal of Mental Health, 14*(5), 513-521
- Byrne, M.K., Deane, F.D., Lambert, G., & Coombs, T. (2004). Enhancing medication adherence: Clinician outcomes from the 'Medication Alliance' training program. *Australian & New Zealand Journal of Psychiatry, 38*, 246-253

ABSTRACT

Patient nonadherence to prescribed medications remains a major hurdle in the effective delivery of health care services for people experiencing chronic illnesses. Nonadherence rates are particularly high among those with major mental health problems and account for a significant proportion of hospitalisations due to relapse in conditions previously well-managed by medications. Therefore, interventions to enhance the adherence of patients with mental health disorders should be an essential part of mental health services; however this is not always the case. This thesis involved a series of studies which investigated barriers to the implementation of adherence interventions, in particular, clinician skills, attitudes and knowledge, as well as describing a potential strategy to overcome these barriers.

The first study investigated the relationship between the beliefs and knowledge mental health nurses hold about medications and how this influences their self-reported use of strategies to enhance patient adherence to treatment. Participants comprised a convenience sample of 64 mental health nurses who completed questionnaires on their beliefs about medicines, their knowledge of neuroleptic medications and their self-reported difficulties in using commonly cited strategies for enhancing patient adherence. The results indicated that both poorer knowledge and more negative attitudes were associated with greater perceived difficulty in implementing standard adherence strategies.

The first study provided the impetus for a closer examination of specific clinician attitudes in relation to working with non-adherent patients and how such attitudes might influence clinician behaviour. Study 2 was a cross-sectional anonymous survey of 292 mental health clinicians and explored their attitudes about nonadherence in patients. Exploratory and confirmatory factor analysis of the attitudes items produced a 19 item, 5 factor scale: the Medication Alliance Beliefs Questionnaire (MABQ). The MABQ subscale 'Adequacy', (beliefs about the the sufficiency of the clinicians' own knowledge and skills in working with people who have nonadherence issues), was found to predict the extent to which mental health clinicians tried to enhance patient adherence.

The first two studies identified deficits in clinician skills, knowledge and attitudes as significant barriers to the implementation of adherence interventions. A clinician training program called “Medication Alliance” was then developed which specifically targeted skills, attitudes and knowledge relevant to the enhancement of patient medication adherence. Study 3 provided an initial evaluation of this training program in terms of the extent to which clinician participants showed improved skills, had enhanced knowledge and more positive attitudes toward working on adherence issues (using the MABQ). Participants were 23 experienced mental health workers who worked actively with non-adherent patients. The results indicated pre-post training improvements in all three domains (skills, knowledge and attitudes).

The first three studies identified the barriers to the implementation of adherence interventions, (clinician skills, knowledge and attitudes), and demonstrated that the Medication Alliance training program could improve these three clinician domains. Study 4 sought to determine whether Medication Alliance could be implemented in practice by clinicians and whether this resulted in improvements in patient adherence and reductions in levels of mental ill-health. A total of 46 clinicians participated in an ‘implementation trial’ of Medication Alliance, with 51 patients providing clinical data. Data was collected at baseline, 6 months following clinician training and then again at 12 months post training. As with Study 3, improvements in clinician knowledge, attitudes and skills coincided with training. In an extension of these findings, most of these improvements were maintained over a 12 month period. It was also shown that clinicians’ ratings of patients’ adherence and their rating of therapeutic alliance also increased over the 12 month period. Patients demonstrated improved insight into the need for treatment and reduced psychopathology. Overall, the results of Studies 1 through 4 indicated that clinician’s attitudes are an important consideration in implementing adherence strategies and that these attitudes can be successfully improved as a result of training. Further, preliminary research suggests that clinicians can learn, sustain and implement skills to facilitate medication adherence in their patients. Finally, these training effects appear to be associated with improvements in adherence and mental health in patients.

Although results from these implementation studies are encouraging, there is a need for a randomised clinical trial of Medication Alliance training compared to treatment as usual or a viable comparison intervention.

ACKNOWLEDGEMENTS

It is with the greatest pleasure that I write this section of my thesis, the last to be written, the first to appear and the only part where I don't have to justify an assertion with a reference or citation. Given that there are no hard rules, let me break with convention and acknowledge the most important person first (rather than last): my beautiful and loving wife Cinzia Gagliardi. Cinzia has always believed in me and encouraged me. Whenever I have had a success, Cinzia has genuinely been proud of me and never has my success caused her to feel any less adequate. Rather, the better I am the stronger she feels as my partner. Cinzia is a remarkably talented woman in her own right and doesn't need me to realise her own worth. That my achievements are shared by her, and with her, is a testament to her love and support. I would have finished this thesis without Cinzia in my life, but I would never have felt as proud had she not been there.

I next acknowledge the man who has been a mentor, friend, at times a counsellor but always a trusted support and guide in this journey: my supervisor Professor Frank P. Deane. I like Frank: most everyone does! He is smart, humorous, reliable and fun to be with. However, most importantly, he cares about his students and about the quality of the work that they produce. That is not to pre-determine the readers own judgement of the quality of this thesis: after all Frank can only work with the 'materials' that he has before him! However, what can be said is that as a result of Frank's supervision, this is the best thesis that I could have produced and no student could have asked for more than that of a supervisor.

Medication Alliance, and thus this thesis, has become a research program and has drawn upon the talents of numerous people in various aspects of its development. Very early on, Professors Richard Gray and Kevin Gournay generously gave their time and experience to help me develop an understanding of the principles of medication adherence and interventions to enhance patient adherence to treatment. From that firm foundation the Medication Alliance program grew and I thank them for their collegiality.

Tim Coombs was another ‘early player’ whose preliminary work with Frank Deane established the impetus for this research and who collaborated on the development of the first draft of the Medication Alliance program. Tim was one of the original trainers, travelling around Australia delivering Medication Alliance training with me, and I benefited from his observations over a glass or two of red wine.

Another ‘early player’ was Gordon Lambert. Gordon has contributed to the entire Medication Alliance program, both material included in this thesis and other research that has arisen from it. Gordon brought a wealth of ‘real life’ practice experience to the program however his most valuable contribution was his affable nature and his ability to connect with clinician’s in the field. It was because of Gordon that I was able to recruit as many persons to the study that I did – no mean task when services were being restructured just as our main study was to begin. It was always comforting to have Gordon around and indeed, besides myself, Gordon was the only other person present at all Medication Alliance training workshops associated with this thesis. More importantly, when Tim Coombs moved on to other projects, Gordon was always there to continue the tradition of program refinement over a glass of red!

A work of this magnitude requires a lot of organisation, coordination and just plain hard work. The administrative matters that needed to be dealt with were substantial and their proper execution critical to getting the training delivered. The support of Marie Johnson at the Illawarra Institute for Mental Health has been invaluable. Thank you Marie!

Of course all research needs participants and accessing participants requires support. I thank all those clinicians who contributed to the first 3 studies, in particular, Raelene Tabor and her staff in Tasmania. Study 4 was by far the most ‘intense’. I would like to thank Geoff Gazzard and his team in western regions of NSW and Matthew Ovens and his colleagues in metropolitan Sydney’s south-western suburbs. I also thank all the consumers of mental health services, referred to as ‘patients’ in this thesis, for their participation and I honestly hope that my work has resulted in some improvements in their lives.

I want to go on and thank lots of other people, however the more that I thank, the more I remember who helped me across this odyssey. My fear of offending others by not acknowledging them is somewhat assuaged by the knowledge that most will never read this thesis! However, you know who you are and I say thank you to you all. On a final note, I wish to mention two other people. First, Professor Patrick Heaven – my “boss” at the University of Wollongong. I have worked as a fulltime academic while completing this thesis and during my Ph.D. candidature I have had to deal with multiple life traumas that distracted me from the thesis and my duties. Patrick has been supportive and given me enough room to manoeuvre so that I could survive these events and complete this thesis. Patrick, your generosity did not go unnoticed.

Lastly, to my mum, I say this: you wanted me to finish this thesis before you died. Well here it is – now read it! (Oh, and thanks too for your unfailing faith in me – love you mum).

This thesis is dedicated to the memory of my brother:

Stuart Edward Byrne

(24/06/1954 – 18/08/2008)

“Keep a watch also on the faults of the patients, which often make them lie about the taking of things prescribed” – Hippocrates of Cos, circa 400BC